

SUPERIOR QUALITY, PERFORMANCE, AND DURABILITY

SHOE & BOOT COVERS

Material Options

AquaTrak®	superior anti-skid properties for use in wet and/or dry environments
SureGrip®	durable material with outstanding inherent anti-skid properties for dry environments
SureGrip® Conductive	same high quality SureGrip material with Conductive Strip
GenPro®	economical polypropylene material for a variety of general purpose applications
CPE	CPE or 'Film' material shoe covers are ideal for boot-cover liners, contractors, and visitors

Seam Options

Serged	threads are interlocked around the material edges for a strong, stress-resistant seam
Sonic Welded	material is welded together creating a superior particle and fluid barrier
Heat-Sealed	strong and impervious, this seam is used when Ultrasonic welding is incompatible with the garment material

Sole Options

UltraGrip™ Anti-Skid	ultimate anti-skid sole material for use in high risk, slip and fall application
SafeStep® Anti-Skid	environmentally friendly sole shoe cover material with high anti-skid properties
MaxGrip® Anti-Skid	ideal sole material for use in many different environments on a variety of floor surfaces
Seamless, Butterfly Style	provides a smooth, seamless sole for better traction and fluid resistance

BOOT COVERS

Secure Options

Elastic Top, Ankle Ties	secure fit with elastic top, custom tie closure around ankle
Elastic Top, Elastic Ankle	secure fit with elastic top and around ankle for easier donning



Shoe Covers



Boot Covers

*Not all options are available with all shoe and boot covers.



OUTSTANDING PERFORMANCE IN WET CONDITIONS

FEATURES & BENEFITS

The proprietary AquaTrak material provides superior slip and fall protection in both wet and dry conditions. This advanced material was specifically developed to outperform the market in wet conditions. AquaTrak is a fluid resistant material and performs well even in low-level standing water. With a seamless sole design and a strong, stress resistant serged seam upper, AquaTrak is the preferred choice for many applications.

Construction Details:

Three colors to choose from: white, blue and black for easy department designation. Features a seamless sole, strong, stress-resistant serged seams and is fluid resistant. Different thread colors around the opening provide convenient size identification.

Styles/Sizes

Part No.	Size	Shoe Color	Thread Color
SH-T1182-B	Univ.	White	White
SH-T1183-B	XL	White	Black
SH-T1184-B	2X	White	Blue
SH-91182-B	Univ.	Blue	White
SH-91183-B	XL	Blue	Black
SH-91184-B	2X	Blue	Blue
SH-C1182-B	Univ.	Black	White
SH-C1183-B	XL	Black	Black
SH-C1184-B	2X	Black	Blue

Fluid resistant, seamless sole, serged seams, 75 pair/case

AquaTrak® Shoe Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)
	Univ.	15 ½"	6 ½"	4 ½"	10 ½"
	XL	17"	7"	5"	11"
	2X	19"	7 ¾"	5 ½"	13"

SUPERIOR TRACTION IN WET AND DRY CONDITIONS

FEATURES & BENEFITS

These ankle high AquaTrak boot covers provide superior anti-skid properties in wet and dry conditions. A seamless sole design with sonic welded seams makes our ankle high boot covers fluid resistant to liquids and provides appropriate particle holdout. The serged seam version provides for an excellent fit with similar anti-skid properties of its counterpart. AquaTrak material exhibits a low particle count and offers superior protection against particles, biologicals, fluids and light chemical splash.

Construction Details:

Two styles to choose from: seamless, sonic welded seams or strong, stress-resistant serged seams. Different thread colors around the opening provide convenient size identification.



Sonic Welded, Ankle High Boot Covers

Styles/Sizes

Part No.	Size	Boot Color	Thread Color
BT-91415-B	M	Blue	Yellow
BT-91416-B	L	Blue	Orange
BT-91412-B	Univ.	Blue	White
BT-91413-B	XL	Blue	Black

Fluid resistant, elastic top, ankle ties, seamless sole, sonic welded seams, 100 pair/case

Serged Seams, Ankle High Boot Covers

Styles/Sizes

Part No.	Size	Boot Color	Thread Color
BT-91X13-B	XL	Blue	Black
BT-C1X14-B	2X	Black	Blue

Fluid resistant, elastic all around, serged seams, 100 pair/case

AquaTrak® Sonic Welded, Ankle High Boot Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Tie Length (D)
	M	13 ¾"	14 ¾"	4 ½"	9 ½"	17"
	L	14 ½"	15 ½"	5"	10 ½"	17"
	Univ.	15 ½"	17"	6"	11 ½"	17"
	XL	16"	18"	6 ½"	12 ½"	17"

AquaTrak® Serged Seam, Ankle High Boot Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)
	XL	16 ½"	11"	5 ¼"	10 ½"
	2X	18 ½"	11 ¼"	5 ½"	11 ½"

MULTIPLE STYLES & PACKAGING OPTIONS FOR MAXIMUM VERSATILITY



FEATURES & BENEFITS

Proven in the marketplace, SureGrip shoe covers have established themselves as the shoe cover of choice for a wide range of floor surfaces and in many different applications. Combining durability and cleanliness with outstanding anti-skid properties, SureGrip provides you with a blend of unmatched performance and overall value.

Multiple style and packaging options add to the versatility of SureGrip: serged seams for added strength, traction and a snug fit for safety; unique conductive shoe cover for those environments where electro-static dissipation (ESD) protection is required. The Gaylord packaging option (30 individual bags of 300 each per master carton) reduces waste, labor, and purchase orders while increasing your shelf-space and providing a reusable, pallet sized container for your recyclables or other materials.



Construction Details:

Two styles to choose from: serged seam and conductive to meet any/all market applications. Different thread colors around the opening provide convenient size identification.

Serged Seams Styles/Sizes

Part No.	Size	Shoe Color	Thread Color
SH-X1222-B	Univ.	Blue	White
SH-X1223-B	XL	Blue	Black
SH-X1224-B	2X	Blue	Blue

Non-skid, serged seams, 150 pair/case

Conductive Styles/Sizes

Part No.	Size	Shoe Color	Thread Color
SH-12522-B	Univ.	Blue	White
SH-12523-B	XL	Blue	Black

Conductive for ESD concerns, anti-skid, serged seams, 150 pair/case

Gaylord Packaging Styles/Sizes

Part No.	Size	Shoe Color	Thread Color
SH-X1272-B	Univ.	Blue	White
SH-X1273-B	XL	Blue	Black
SH-X1274-B	2X	Blue	Blue

Non-skid, serged seams, 4,500 pair/case

SureGrip® Serged Seam Shoe Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)
	Univ.	15 ½"	6 ¼"	4 ½"	9 ½"
	XL	17"	6 ½"	5"	11 ½"
	2X	18 ½"	6 ¾"	5 ½"	12 ½"

SureGrip® Conductive Shoe Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)
	Univ.	15 ½"	6 ¼"	4 ½"	9 ½"
	XL	17"	6 ¾"	5"	11 ½"



MAXIMUM GRIP PROTECTION

FEATURES & BENEFITS

MaxGrip shoe covers are ideal for those areas where slip and fall protection is needed in damp to dry areas. The anti-skid properties of the MaxGrip sole have outstanding performance on a variety of surfaces and in a number of applications. The upper material used with our MaxGrip sole is made of BarrierTech® and provides particle holdout and protection from fluids and light chemical splash. Five sizes to choose from to ensure a proper fit. MaxGrip is suitable for use in a Controlled Environment. Different thread colors around the opening provide convenient size identification.

Construction Details:

Skid resistant sole with strong, stress-resistant serged seams.

Styles/Sizes

Part No.	Size	Shoe Color	Thread Color
SH-E1W11-BH	S	White	Green
SH-E1W15-BH	M	White	Yellow
SH-E1W16-BH	L	White	Orange
SH-E1W12-BH	Univ.	White	White
SH-E1W13-BH	XL	White	Black

Anti-skid, serged seams, 100 pair/case

MaxGrip® Shoe Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Sole Width (D)
	S	9 1/2"	5"	3 3/4"	7 1/2"	4 1/4"
	M	10 3/4"	5"	4"	8 3/4"	4 1/4"
	L	12 1/2"	5"	4 1/4"	9 1/4"	4 1/2"
	Univ.	13 1/2"	5"	4 1/2"	11"	4 1/2"
	XL	15"	5 3/4"	5"	11 3/4"	4 3/4"

SUPERIOR ANTI-SKID PROPERTIES

FEATURES & BENEFITS

AquaTrak® MaxGrip® Boot Covers provide slip and fall protection on damp and dry floors. With the MaxGrip® anti-skid soles in these top quality boot covers, safety is paramount. The sole material is also extremely clean, durable and strong enough to stand up to the most abrasive floor surfaces. The AquaTrak® upper material is soft, strong, flexible and a fluid resistant material that also provides appropriate particle holdout. These high top boot covers fit over the calf to provide a comfortable fit and prevent the boot cover from sliding down.

Construction Details:

Two designs to choose from: elastic top and ankle, and attached ties at ankle for secure fit. Different thread colors around the opening provide convenient size identification.



Elastic Ankles

Styles/Sizes

Part No.	Size	Boot Color	Thread Color
BT-T5W15-B	M	White	Yellow
BT-T5W12-B	Univ.	White	White
BT-T5W13-B	XL	White	Black

Elastic top and ankle, anti-skid sole, serged seams, 100 pair/case

Ankle Ties

Styles/Sizes

Part No.	Size	Boot Color	Thread Color
BT-T4W15-B	M	White	Yellow
BT-T4W12-B	Univ.	White	White
BT-T4W13-B	XL	White	Black

Elastic top with ankle ties, anti-skid sole, serged seams, 100 pair/case

MaxGrip® Boot Covers w/Elastic Ankles	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Ankle Relaxed (D)	Ankle Stretched (D)	Sole Width (E)
	M	10 ¾"	17"	5 ¼"	9"	6"	9 ¾"	4 ¼"
	Univ.	13 ½"	17 ½"	5 ¾"	9 ½"	6 ½"	11"	4 ½"
	XL	15"	18"	6"	11 ½"	6 ¾"	12 ½"	4 ¾"

MaxGrip® Boot Covers w/Ankle Ties	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Tie Length (D)	Sole Width (E)
	M	10 ¾"	18"	4 ½"	9"	17"	4 ¼"
	Univ.	13 ½"	18 ½"	5 ¼"	9 ½"	17"	4 ½"
	XL	15"	19"	5"	11 ½"	17"	4 ¾"



PROTECTION FOR YOU AND THE ENVIRONMENT

FEATURES & BENEFITS

The SafeStep® is a proprietary high-performing, environmentally friendly Shoe Cover. It has inherent non-skid physical properties and is strong enough to withstand even the most abrasive floor surfaces. The sole material has a high COF, which provides the user with outstanding non-skid properties. The sole material is also extremely clean and durable. The BarrierTech® fabric used in the upper shoe cover provides particle, fluid and light chemical splash protection. SafeStep® is ideal for use in many safety applications or Controlled Environments.

Construction Details:

Four sizes to choose from to ensure a proper fit. Different thread colors around the opening provide convenient size identification.

Styles/Sizes

Part No.	Size	Shoe Color	Thread Color
SH-E1715-BH	M	White	Yellow
SH-E1716-BH	L	White	Orange
SH-E1712-BH	Univ.	White	White
SH-E1713-BH	XL	White	Black

Anti-skid, serged seams, 100 pair/case

SafeStep® Shoe Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Sole Width (D)
	M	10 ¾"	5"	4"	8 ¾"	4 ¼"
	L	12 ¼"	5"	4 ¼"	9 ¼"	4 ½"
	Univ.	13 ½"	5"	4 ½"	11"	4 ½"
	XL	15"	5 ¾"	5"	11 ¾"	4 ¾"

ANTI-SKID HI-TOP BOOT COVER

FEATURES & BENEFITS

SafeStep is a proprietary high-performing, environmentally friendly boot cover. It has inherent non-skid physical properties, is strong enough to withstand even the most abrasive floor surfaces and is environmentally friendly. The sole material has a high COF which provides the used with outstanding non-skid properties. The sole material is also extremely clean and durable. The Microbreathe™ upper material is soft, strong, flexible and has a high vapor transmission rate for all-day comfort. The fabric also provides excellent barrier protection and exhibits low particle generation.

The high top boot covers fit over the calf with an elastic top to provide a comfortable fit to prevent the boot cover from sliding down.

Construction Details:

Four sizes to choose from to ensure a proper fit. Different thread colors around the opening for convenient size identification.



Styles/Sizes

Part No.	Size	Boot Color	Thread Color
SH-A1615-BH	M	White	Yellow
SH-A1616-BH	L	White	Orange
SH-A1612-BH	Univ.	White	White
SH-A1613-BH	XL	White	Black

Elastic top and ankle, anti-skid sole, serged seams, 100 pair/case

SafeStep® Boot Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Ankle Relaxed (D)	Ankle Stretched (D)	Sole Width (E)
	M	10 ¾"	17"	5 ¼"	9"	6"	9 ¾"	4 ¼"
	L	12 ¼"	17 ½"	5 ½"	9 ½"	6"	9 ¾"	4 ¼"
	Univ.	13 ½"	17 ½"	5 ¾"	9 ½"	6 ½"	11"	4 ½"
	XL	15"	18"	6"	11 ½"	6 ¾"	12 ½"	4 ¾"


THE ULTIMATE IN SLIP AND FALL PROTECTION

FEATURES & BENEFITS

These high performance, anti-skid UltraGrip sole offers the ultimate in slip and fall protection on damp and dry floors. The proprietary sole material is also extremely clean, durable and strong enough to withstand even the most abrasive floor surfaces. The upper material used with our UltraGrip soles is made of BarrierTech® and provides particle holdout and protection from fluids and light chemical splash. The UltraGrip shoe cover design provides full coverage up through the ankle area. UltraGrip is suitable for use in a Controlled Environment.

Construction Details:

Two colors to choose from: white and blue to support specific departments and four sizes to ensure a proper fit. Anti-skid sole with strong, stress-resistant serged seams. Different thread colors around the opening provide convenient size identification.



Styles/Sizes

Part No.	Size	Shoe Color	Thread Color
SH-E1315-BH	M	White	Yellow
SH-E1316-BH	L	White	Orange
SH-E1312-BH	Univ.	White	White
SH-E1313-BH	XL	White	Black
SH-M1315-BH	M	Blue	Yellow
SH-M1316-BH	L	Blue	Orange
SH-M1312-BH	Univ.	Blue	White
SH-M1313-BH	XL	Blue	Black

Anti-skid sole, serged seams, 100 pair/case

UltraGrip™ Shoe Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Sole Width (D)
	M	11 ½"	5"	4"	8 ¾"	4 ¼"
	L	12 ¾"	5"	4 ¼"	9 ¼"	4 ½"
	Univ.	14 ⅛"	5"	4 ½"	11"	4 ½"
	XL	15"	5 ¾"	5"	11 ¼"	4 ¾"

ULTIMATE PROTECTION TOP TO BOTTOM

FEATURES & BENEFITS

Acquire the premium in slip and fall protection on damp and dry floors with the UltraGrip soled high-top boot cover. The sole material is also clean, durable and strong enough to stand up to even the most abrasive floor surfaces. We utilize our proprietary Microbreathe material for the upper portion of the boot cover. Microbreathe is a soft, strong, and flexible material with a high vapor transmission rate for all day comfort. It also provides excellent barrier protection and particle holdout and is the preferred choice for Controlled Environments.

These high top boot covers fit over the calf with an elastic top to provide a comfortable fit and to prevent the boot cover from sliding down. UltraGrip boot covers are available with an elastic ankle or ankle ties with strong, stress-resistant serged seams.

Construction Details:

Two designs to choose from: elastic top and ankle, and attached ties at ankle for secure fit. Different thread colors around the opening for convenient size identification.



Elastic Ankles

Styles/Sizes

Part No.	Size	Boot Color	Thread Color
BT-A1815-B	M	White	Yellow
BT-A1812-B	Univ.	White	White
BT-A1813-B	XL	White	Black

Elastic top and ankle, anti-skid sole, serged seams, 100 pair/case

Ankle Ties

Styles/Sizes

Part No.	Size	Boot Color	Thread Color
BT-A1315-B	M	White	Yellow
BT-A1316-B	L	White	Orange
BT-A1312-B	Univ.	White	White
BT-A1313-B	XL	White	Black

Elastic top with ankle ties, anti-skid sole, serged seams, 100 pair/case

UltraGrip™ Boot Covers w/Elastic Ankles	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Ankle Relaxed (D)	Ankle Stretched (D)	Sole Width (E)
	M	10 ¾"	17"	5 ½"	9"	6"	9 ¾"	4 ¼"
	Univ.	13 ½"	17 ½"	5 ¾"	9 ½"	6 ½"	11"	4 ½"
	XL	15"	18"	6"	11 ½"	6 ¾"	12 ½"	4 ¾"

UltraGrip™ Boot Covers w/Ankle Ties	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)	Tie Length (D)	Sole Width (E)
	M	10 ¾"	18"	4 ½"	9"	17"	4 ¼"
	L	12 ½"	18 ¼"	5 ½"	9 ½"	17"	4 ¼"
	Univ.	13 ½"	18 ½"	5 ¾"	9 ½"	17"	4 ½"
	XL	15"	19"	5"	11 ½"	17"	4 ¾"



CRITICAL COVER® GENPRO® SHOE COVERS

FEATURES & BENEFITS

GenPro shoe covers are lightweight and of value for use in general purpose environments or for visitors to your facility. The non-conductive polypropylene shoe covers provide a moderate barrier to fluids, particulates and contamination. The tread on the bottom provides excellent traction. Different thread colors around the opening provide convenient size identification.

This category of shoe cover is for use in non-hazardous environments only.

Construction Details:

Elastic top and strong, stress-resistant serged seams.

Serged Seams

Styles/Sizes

Part No.	Size	Shoe Color	Thread Color
SH-71222-B	Univ.	Blue	White
SH-71223-B	XL	Blue	Black

Anti-skid, adhesive on sole, 150 pair/case



CRITICAL COVER® CPE SHOE COVERS

FEATURES & BENEFITS

These CPE film shoe covers are ideal for many applications where value and transition are required. Whether your new Controlled Environment is under construction or you need to temporarily utilize a shoe cover in the donning process or for movement within your facility, the CPE shoe cover is the product of choice.

Construction Details:

Two colors to choose from: blue or white, and is a fluid resistant product. Bulk packed 1,000 per case.

Serged Seams

Styles/Sizes

Part No.	Size	Shoe Color
SH-G1253-B	XL	White
SH-H1253-B	XL	Blue

All film, fluid resistant, seamless sole, heat sealed seams, 500 pair/case

GenPro® Serged Seam Shoe Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)
	Univ.	15 ¾"	7"	4 ½"	10 ¾"
	XL	17 ½"	7"	5"	12"

CPE Heat-sealed Shoe Covers	Size	Length (A)	Height (B)	Top Relaxed (C)	Top Stretched (C)
	XL	16 ⅛"	5 ¾"	3 ¼"	16 ⅛"